


# OH7SV GP5 Antenna



Marker	Freq. (Hz)	RL (dB)	RP (°)	Z  (Ω)	Rs (Ω)	Xs (Ω)	Theta	SWR
1	14 166 645	-27,33	-123,10	47,7	47,6	-3,4	-4,1	1,09:1
2	18 099 939	-30,72	-41,38	52,2	52,2	-2,0	-2,2	1,06:1
1-2	3 933 294	3,40	81,71	4,5	4,6	1,4	0,0	---
3	21 199 908	-30,60	150,79	47,5	47,5	1,4	1,7	1,06:1
4	28 433 169	-27,43	-14,09	54,3	54,3	-1,1	-1,2	1,09:1

## Comment:

Radial base on ground

Base on wood

Date: 23.10.2016 17:12

Mode: Reflection

Analyser: miniVNA-pro / mini radio solutions - miniVNA pro

Scan

Start: 12000000 / 12 000 000

Stop: 29999820 / 29 999 820

Samples: 540

Overscan: 1

Calibration

Samples: 2000

Overscan: 1  
File: BNC-REFL\_minivNA-pro.cal  
User: MOH  
Headline: OH7SV GP5 Antenna  
Port extension len: <not set>m  
Port extension vf: <not set>